



# **Glorious Life From MYLEDY**

---

**LED Profile**

Catalog 2023-2024

[www.myledy.com](http://www.myledy.com)

GLOBAL LINEAR LED ALUMINUM PROFILE SUPPLIER

# 13

years  
2010 - 2023

## OUR MISSION

Our mission is to create an excellent light environment for users

2021-present



Continuous development, the products have passed a number of certifications, such as Rohs, CE, SGS, etc, and have been sold out over 40 countries.

2019



Factory covers area of 4,000 square meters, 120 employees has multiple semi-automatic packaging and production lines.

2016



Increasing R&D and investment in linear lighting systems, and the application and development of wardrobe lights and cabinet lights.

2013



Focusing on the supply of LED linear lighting systems and owns our own plastic extrusion line, with a plant area of 2,000 square meters and 60 employees.

2010



Foshan MYLEDY Aluminum Co.,Ltd was established and developed into an enterprise specializing in the design, manufacture and service of aluminum profiles for the LED industry.

## OUR ADVANTAG

01

Professional and more than 12 years experience in led industry

02


Up to 400+ different styles, many models are in stocks

03


Quality certification, after 10 years of market testing, after-sales service is guaranteed

04


High support customization to meet the individual needs of customers




LD-20  
P1




LD-270C  
P1




LD-BOX-01  
P2



LD-2121D  
P2




Skyline  
P3




LD-8546  
P4




LD-XK108  
P4




LD-7651  
P5




LD-5615-1  
P5



LD-4168  
P6




LD-9527  
P6




LD-6868  
P7




LD-5511  
P7




LD-1402  
P8




LD-6221  
P8



LD-3255  
P9



LD-2208  
P10



LD-2209  
P11



LD-2201  
P13




LD-2202  
P13




LD-2203  
P13




LD-2204  
P13




LD-2205  
P15




LD-2206  
P16




LD-WP2207  
P17




LD-2207  
P17




LD-0201  
P21




LD-0202  
P21




LD-0204  
P23




LD-0205  
P24




LD-0203  
P25




LD-0206  
P25




LD-0207  
P26




LD-0208  
P26




LD-1401  
P27




LD-2417  
P27




LD-1212  
P28




LD-9013  
P29




LD-2236  
P30




LD-2211  
P31




LD-2212  
P33




LD-2213N  
P34




LD-2214  
P35




LD-2215  
P36




LD-2216  
P37




LD-2217A  
P38




LD-2217B  
P42




LD-2217C  
P43




LD-2217D  
P44




LD-2217E  
P45




LD-2218A  
P46




LD-2218B  
P47




LD-2218C  
P47




LD-2218D  
P47




LD-2218E  
P47




LD-2219A  
P50




LD-2219B  
P51




LD-2219C  
P51




LD-2219D  
P51




LD-2219E  
P51




LD-2220A  
P54




LD-2220B  
P55




LD-2220C  
P55




LD-2220D  
P55




LD-2220E  
P55




LD-2221A  
P58




LD-2221B  
P59




LD-2221C  
P59




LD-2221D  
P59




LD-2221E  
P59




LD-2222  
P62




LD-2223  
P63




LD-2225  
P65




LD-2226  
P66




LD-2227  
P67




LD-3620  
P68




LD-5030  
P68



LD-5615  
P69




LD-7615  
P69




LD-6528  
P70







LD-6529  
P70




LD-6010  
P71




LD-7720  
P71




LD-4128  
P72




LD-5315  
P72




LD-5917  
P73




LD-8115  
P73




LD-1919  
P74




LD-1919-10°  
P74




LD-1919-30°  
P74




LD-1919-60°  
P74




LD-2224  
P75




LD-9151  
P75




LD-2228  
P76




LD-D45  
P77




LD-2525-R  
P80




LD-3535-R  
P80




LD-5035-R  
P80




LD-6050-R  
P80




LD-2237  
P82




LD-6725  
P83




LD-6728  
P83




LD-6826  
P83




LD-01




LD-01-1




LD-06




LD-07




LD-08




LD-09




LD-16




LD-078




LD-078-1




LD-120




LD-60




LD-1002




LD-1010




LD-1013




LD-1015




LD-10236




LD-1001




LD-1003




LD-10270



LD-1101




LD-1101-1




LD-1102




LD-1102-1




LD-1103




LD-1103-1




LD-1104




LD-1104-1




LD-1105




LD-1105-1




LD-1106




LD-1106-1




LD-1107




LD-1145




LD-11735




LD-11736




LD-1201




LD-1202




LD-1203




LD-1204




LD-1205




LD-1206




LD-1207




LD-1208




LD-1215




LD-1218




LD-1301




LD-1302




LD-1303




LD-1304




LD-13350




LD-1403




LD-1407




LD-1415




LD-1601




LD-1602




LD-1603




LD-1604




LD-1605




LD-1606




LD-1607




LD-1608




LD-1609




LD-1610




LD-1610-1




LD-1612



LD-1612-1




LD-1615




LD-1620




LD-1715




LD-1806




LD-1815




LD-1910




LD-1911




LD-2001




LD-2002




LD-2003




LD-2004




LD-2005




LD-2005-1




LD-2006




LD-2007




LD-2008




LD-2008-A




LD-2009




LD-2009-A




LD-2010




LD-2015




LD-2019




LD-2020




LD-2111




LD-2121




LD-2126




LD-2308




LD-2401




LD2402




LD-2403




LD-2404




LD-2405




LD-2406




LD-4309




LD-2601



LD-2610




LD-2810



LD-2831




LD-3019




LD-3030



LD-3030R




LD-3030S




LD-3373




LD-3420




LD-3511




LD-3518




LD-3523



LD-3535




LD-3573



LD-3575




LD-3813




LD-3830




LD-3915




LD-4035




LD-4290




LD-4319




LD-4615




LD-5035




LD-5036




LD-5075




LD-5085




LD-5532




LD-5535




LD-5550




LD-5575




LD-V04




LD-6535




LD-6575




LD-7032




LD-9535




LD-7635




LD-7676




LD-8035




LD-8080




LD-8833




LD-9135




LD-9176




LD-10235




LD-10280



LD-9358




LD-15023




LD-14232






LD-44108




LD-6916




LD-12017



LD-1005




LD-1009




LD-1516




LD-1525




LD-2030




LD-2525




LD-2530




LD-2411




LD-2213




LD-1414




LD-1414-1




LD-1414-2




LD-10




LD-1305




LD-9075




LD7535



LD-9035-T




LD-5055



LD-6535-T



LD-1590



LD-2109



LD-1920

Continuously updating...



## LD-20

### Features


- 1, IP 64 ,suitable for bathroom
- 2, Nearly 360° lighting out



End cap and clip



LED Strip lihtina





## LD-270

### Features

- 1, Elegant appearance, soft lighting, excellent design
- 2, It can be bended with different style as needed
- 3, 270° beam angle ,excellent visuals
- 4, Seamless connection for long length






## LD-BOX-01

### Features

Driver box

Suspension kits are available



## LD-2121D

● black   ○ white   ● silver

### Features


1, No clip needed for mounting, simple and beautiful


2, Connector for long length or for 90° available

3, Soft lighting, excellent design



## Skyline Linear Lighting





## LD-8546

black
  white
  silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



## LD-XK108

black
  white
  silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-7651

● black ○ white ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted




End Cap



Joiner for long length



L Shape Joiner for long length



## LD-5615-1

### Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap



## LD-4168

● black ○ white ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap



Mounting tray



## LD-9527

● black ○ white ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap





## LD-6868

● black ○ white ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m


cover option: opal diffuser , transparent , frosted



End Cap



Mounting tray



## LD-5511

● black ○ white ● silver

### Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap



## LD-1402


black
  white
  silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



## LD-6221

black
  white
  silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-3255

● black   ○ white   ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m


cover option: opal diffuser , transparent , frosted



End Cap







## LD-2208


● black   ○ white   ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



## LD-2209

● black   ○ white   ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted







LD-2201



LD-2202



LD-2203



LD-2204



IP67


● black   ○ white   ● silver

Features

Material: ALU 6063-T5

Available length: 0.5-3m

Pc cover option: opal diffuser frosted









LD-2205 IP67

● black   ○ white   ● silver


Features

Material: ALU 6063-T5

Available length: 0.5-3m

Pc cover option: opal diffuser frosted





## LD-2206


● black   ○ white   ● silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-WP2207 IP67


 Stainless steel

### Features

Material: Stainless steel

Available length: 0.5-3m

Pc cover option: opal diffuser , transparent , frosted



## LD-2207

 Stainless steel

### Features

Material: Stainless steel


Available length: 0.5-3m


cover option: opal diffuser , transparent , frosted











## LD-0201



### Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap



## LD-0202




### Features

Material: ALU 6063-T5

Available length: 0.5-3m


cover option: opal diffuser , transparent , frosted



End Cap







## LD-0204

    
copper dark grey silver

### Features

Material: ALU 6063-T5


Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap





## LD-0205

    
copper dark grey silver



### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser, transparent, frosted





## LD-0203

    
copper dark grey silver

### Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap



## LD-0206

    
copper dark grey silver

### Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap



## LD-0207




### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



## LD-0208



### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-1401




● black   ○ white   ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



## LD-2417

● black   ○ white   ● silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-1212

● black   ○ white   ● silver

### Features

CRI: Ra>80/Ra>90

Input Voltage: DC 24V


Service life: 5000hours

Power: 2.5W/7.5W/15W

Connectable range: 0.1-12m

Dimming method: Dimmable, Dali, external switch





## LD-9013

● black   ○ white   ● silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-2236

● black   ○ white   ● silver

### Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted







## LD-2211

black  white  silver

### Features

Material: ALU 6063-T5


Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap





## LD-2212

● black   ○ white   ● silver



### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-2213N

● black   ○ white   ● silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser, transparent, frosted





## LD-2214

● black   ○ white   ● silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser, transparent, frosted





## LD-2215

● black   ○ white   ● silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser, transparent, frosted





## LD-2216

● black   ○ white   ● silver



### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





LD-2217A UGR $\leq$ 19



Features

Material: ALU 6063-T5


Available length: 0.5-2.4m

cover option: micro-prismatic transparent cover  
micro-prismatic opal diffuser











Six standard splicing accessories can be selected  
Splicing accessories at any special angle can be customized  
Seamless splicing, beautiful and generous.





LD-2217B




Features

Material: ALU 6063-T5

Available length: 0.5-2.4m

cover option: Lens + reflector

COLOR




Typ.FWHM




60°





90°



单偏



双偏



## LD-2217C




### Features

Material: ALU 6063-T5


Available length: 0.5-2.4m

cover option: Lens + reflector


### COLOR




### Typ.FWHM




50°



50°x50°



35°x75°



## LD-2217D




### Features

Material: ALU 6063-T5


Available length: 0.5-2.4m

cover option: Lens + reflector


### COLOR




### Typ.FWHM




50°



50°x50°



35°x75°



## LD-2217E



### Features

Material: ALU 6063-T5


Available length: 0.5-2.4m

cover option: Lens + reflector


### COLOR




### Typ.FWHM




50°



50°x50°



35°x75°



LD-2218A UGR $\leq$ 19

● black   ○ white   ● silver

Features


Material: ALU 6063-T5

Available length: 0.5-2.4m

cover option: micro-prismatic transparent cover  
micro-prismatic opal diffuser












Typ.FWHM




50°




50°x50°




35°x75°




60°




90°




单偏




双偏




LD-2218




B





C




D




E




B




C





D



E



A



LD-2219A UGR $\leq$ 19

● black   ○ white   ● silver


Features

Material: ALU 6063-T5

Available length: 0.5-2.4m


cover option: micro-prismatic transparent cover  
micro-prismatic opal diffuser









Typ.FWHM




50°




50°x50°




35°x75°




60°




90°




单偏




双偏




LD-2219




B





C




D




E




B




C




D



E



A



LD-2220A UGR $\leq$ 19

● black   ○ white   ● silver

Features


Material: ALU 6063-T5

Available length: 0.5-2.4m

cover option: micro-prismatic transparent cover  
micro-prismatic opal diffuser












Typ.FWHM




50°




50°x50°




35°x75°




60°




90°




单偏




双偏




LD-2220




B





C




D




E




B




C




D



E



A



LD-2221A UGR $\leq$ 19

● black   ○ white   ● silver


Features

Material: ALU 6063-T5

Available length: 0.5-2.4m


cover option: micro-prismatic transparent cover  
micro-prismatic opal diffuser









Typ.FWHM




50°




50°x50°




35°x75°




60°








90°



单偏



双偏




B

C

D

E

LD-2221



LD-2222

● black   ○ white   ● silver

Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted







## LD-2223

● black   ● white   ● silver

### Features


Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted







## LD-2225


● black   ○ white   ● silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





LD-2226

● black   ○ white   ● silver


Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted





## LD-2227

● black   ○ white   ● silver

### Features

Material: ALU 6063-T5



Available length: 0.5-3m

cover option: opal diffuser , transparent , frosted



End Cap





## LD-3620



black
  white
  silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser frosted



## LD-5030

black
  white
  silver


### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser frosted





## LD-5615

● black   ○ white   ● silver

### Features


Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted



End Cap



## LD-7615

● black   ○ white   ● silver

### Features


Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted



End Cap



## LD-6528


black
  white
  silver

### Features

Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted



## LD-6529

black
  white
  silver

### Features



Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted







## LD-6010

● black   ○ white   ● silver

### Features


Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted



End Cap



## LD-7720

● black   ○ white   ● silver

### Features


Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted



End Cap



## LD-4128


black
  white
  silver

### Features

Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted



## LD-5315

black
  white
  silver



### Features

Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted





## LD-5917


● black   ○ white   ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted



## LD-8115

● black   ○ white   ● silver

### Features



Material: ALU 6063-T5

Available length: 0.5-4m


cover option: opal diffuser frosted



# LD-1919




LD-1919



LD-1919-10°



LD-1919-30°



LD-1919-60°

**Features**


Material: AL6063-T5


Available length: 0.5-4m

Pc/PMMA cover option: opal diffuser, transparent, frosted

LD-1919: Pc Cover Option

LD-1919-10° / 30° / 60° : PMMA Cover Option





## LD-2224




● black ○ white ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-3m

cover option: opal diffuser frosted  
micro-prismatic opal diffuser



## LD-9151

● black ○ white ● silver

### Features

Material: ALU 6063-T5

Available length: 0.5-4m

cover option: opal diffuser frosted





# LD-2228



360-degree uniform luminescence  
360-degree lighting full circle without dark area




Free cutting  
Cut at any position  
Free application and unlimited design



Bend at will  
There is no direction restriction  
Distort shape at will





## LD-D45

### Aluminum Profile

Material: ALU 6063-T5

Color :anodized silver available another color can be customized

### Cover


Material : imported pc plastics

Color:frosted,opal diffuser,transparent

### End cap

Material: ALU6063-T5













Side Connector




Suspension kit







LD-2525-R



LD-3535-R



LD-5035-R



LD-6050-R



Features

Material: AL6063-T5

Available length: 0.5-4m

cover option: silicone cover / 50m\roll , 100m\roll




It is easy to make all kinds of arc splicing shapes


Inner and outer arc luminescence

Up and down luminescence







LD-2234




LD-2235




LD-2237







LD-6725



LD-6728



LD-6826



## SHENZHEN MYLEDY CO.,LTD

### **SHENZHEN Marketing Center**

Block 2, Excellence City, Zhongkang Rd, Futian District, Shenzhen City, Guangdong, PRC 518049

### **DONGGUAN Manufacturing Center**

No.7 Tongren Rd, Tangxia Town, Dongguan city, Guangdong, PRC 523715

### **JIANGMEN Manufacturing Center**

No.3 Huahui Rd, Jianghai District, Jiangmen City, Guangdong, PRC 529000