





Product Overview

Designed and engineered in our world-famous Acoustic Engineering Center of Excellence in Northridge, California, Stage 200P is a 300W powered subwoofer perfectly matched with the entire Stage series. This subwoofer features a front-firing high excursion 10-inch (250mm) Polycellulose low-frequency woofer with dual rear firing tuned ports that provides deep, powerful, signature JBL bass. A full complement of controls provides for easy system integration.

Available in Espresso or Latte woodgrain finish with solid color front baffles and matching grilles.

Highlights

- 10-inch (250mm) Polycellulose Ribbed Cone Low-Frequency Woofer
- 150W RMS (300W Dynamic)
- Dual Rear-Firing Tuned Ports
- Crossover, Level and Phase Control

Specifications

Type:	Powered Subwoofer
Low Frequency Driver:	10-inch Polycellulose Ribbed High Excursion
Amplifier Power:	150W RMS (300W Dynamic)
Frequency Response ± 6dB:	28Hz-150Hz
Crossover Frequencies:	50Hz-150Hz (variable) 24dB/octave
Controls:	35Hz-150Hz
Controls:	Auto Power, Crossover, Level, Phase
Inputs:	One (1) Line-Level LFE Input
Enclosure Tuning:	Bass-Reflex via Dual Rear-Firing Tuned Ports
Power Requirements:	120V, 60Hz (US) 220-230V, 50/60Hz (EU)
Power Consumption:	<0.5W (standby) / 205W/1.6A (max – 230V) / 205W/3.15A (max – 120V)
Finish:	Espresso or Latte
Dimensions (HxWxD):	14.2in x 13.8in x 15.2in (361mm x 350mm x 385mm)
Product Weight:	31.8 lbs. (14.4 kg)
Shipping Weight:	40.3lbs. (18.3kg)

Dimensions

